



# AQUAMAX-E

Professional Electric Pressure Washers



www.graco.com

## AQUAMAX-E ADVANTAGES

- Fully loaded with all accessories so it's ready to be taken on any job
- With automatic on/off switch, engine only runs on demand
- Durable motor, 1450 RPM. Provides the life professionals demand.

Professional Cleaning Applications

**AQUAMAX-E 2330 – AQUAMAX-E 2335 - AQUAMAX-E 3050**



# AQUAMAX-E

Professional cleaning power in a compact size

In addition to our gas range of the AquaMax™ Pressure Washers and the Hot Water version for Heavy Duty Cleaning, Graco® also offers a range of Electric Pressure Washers:

## AQUAMAX-E

We propose to offer professional cleaning performance, fully loaded with all needed accessories and priced to attract your attention.

We start our range with the most output that a 240 V electric engine can provide. We complete our professional cleaning solution with 400 V power cleaners.

In short, it's a dirty world out there. The AquaMax-E from Graco is the perfect solution to clean wherever there is livestock and/or wherever the sound of a gas engine is not welcome.



AquaMax-E 2330



AquaMax-E 2335



AquaMax-E 3050



**Ergonomical Spray Gun**  
- With soft grip  
- Unique QuikDisconnect™ coupling to connect accessories to the gun.



**Smart Pressure Adjustment at the Gun at 400 V**



**Delivered standard with 2 Lances:**

- 90 cm angled lance + Flat tip:**  
- for floors, ceilings and general cleaning
- 50 cm short lance + RotoBlast™ tip:**  
- for wall cleaning where space is tight like on scaffolding




**RotoBlast™ Tip**

**On-board Chemical Tank, 4.1 liter with Cap**

Carry the chemical with your AquaMax-E. It just slides onto it. Have a few spare extra tanks with you so you always have the right cleaning product ready to be mounted onto your machine.



## Materials & Applications



Both the AquaMax-E 2330 and AquaMax-E 2335 are the ideal solution for tradesmen, painters and mid-sized building firms that usually work on small industrial sites.

The AquaMax-E 3050 is the perfect choice for building contractors, mid-sized farms and garages. It offers higher pressure flow, cleaning efficiency and a longer life pump and frame design for more intense applications.



### Hose Reel (AquaMax-E 3050 has a hose guide)

- 15 m DN6 hose, extendable up to 30 meters.
- Get ready to work faster and go back home sooner. Fight the dirt, not your hose.



### Chemical Adjustment Knob

from 0 to 5 % to control your mix

### Automatic Start/Stop

AquaMax-E only runs when you trigger the gun. Provides quiet operation while saving the life of the components.



### Pressure Indicator Gauge

### Pressure Regulation




## GOOD TO KNOW



### ROTATING AND OSCILLATING TIPS

Rotating and oscillating tips *increase your cleaning power and decrease your cleaning time.* They offer 0° spray impact with 25° coverage. Tips include a filter with quick connection and offer heavy-duty components for long life and reliability. Can be used on pavements, driveways, vehicle tracks, muddy areas, old peeling paints and concrete surfaces.



## ! TIP

### CHEMICAL INJECTOR

The chemical injector kit sucks the chemical component from a bucket and mixes it with the water flow. To apply detergent for misting and rinsing, we advise to use the special (black) low pressure tip.

## AquaMax-E 3050 - a different kind of experience

The smart pressure adjustment is exclusive to the AquaMax-E 3050. It allows you to change the working pressure of the unit at the gun without interrupting your cleaning activity. It saves money by adjusting water consumption in relation to the pollution of the surface to clean.

The AquaMax-E 3050 also offers an additional hose guide to the hose reel.



[www.graco.com](http://www.graco.com)



# AQUAMAX-E Accessories

Get the most out of your equipment, use our professional cleaning accessories

## Improve your cleaning quality



### Guns

- 16J397 For AquaMax 2330
- 16J408 For AquaMax 2335 or AquaMax 3050

### Lances

- 16J410 50 cm short lance
- 16J154 90 cm professional lance
- 16J157 Double lance

### Non-Marking Hose

- 16J113 Hose, 15 m x 6 mm
- 16J252 Hose, 12 m x 8 mm

### Rotating & Oscillating Tips

- 16J400 AquaMax 2330
- 16J399 AquaMax 2335
- 16J543 AquaMax 3050



### Flat Tips

ORIFICE SIZE	0°	30°	50°
03 (0.043" - 1.09 mm)	-	-	16J127
04 (0.052" - 1.32 mm)	16J128	-	16J129
05 (0.057" - 1.48 mm)	16J130	16J131	16J132
06 (0.062" - 1.57 mm)	-	-	16J133
07 (0.067" - 1.70 mm)	-	-	16J134

## AquaMax™ Gasoline range

### AquaMax Gasoline Units

#### Direct Driven

- 262318 AquaMax 2730 DD  
190 bar, 200 cm<sup>3</sup> Honda® motor
- 262320 AquaMax 3030 DD  
210 bar, 270 cm<sup>3</sup> Honda® motor
- 262322 AquaMax 3540 DD  
245 bar, 390 cm<sup>3</sup> Honda® motor
- 262314 AquaMax 3540 GHW  
245 bar, 390 cm<sup>3</sup> Honda® motor, hot water

#### Belt Driven

- 262326 AquaMax 4043 BD  
280 bar, 480 cm<sup>3</sup> B&S motor, belt driven

Looking for more detailed info about these units?  
See our AquaMax Pressure Washers Leaflet 320582



## AQUAMAX-E

### READY TO CLEAN

The AquaMax-E is ready to use and ships complete with ergonomical spray gun, long lance (90 cm), short lance (50 cm), hose reel (AquaMax-E 3050 has extra hose guide), chemical injector kit and tank, 15 m hose, quick coupling system on accessories, rotoblast tip, adjustable fan width tip, 4 l removable detergent tank, automatic Start/Stop, quick-view oil level indicator and flexopower lance (only on AquaMax-E 3050).

Find this unit at:

## Specifications



	AquaMax-E 2330	AquaMax-E 2335	AquaMax-E 3050
<b>Part Numbers:</b>	2330 287428	2335 287429	3050 287430
Fluid			
Max. Fluid Working Pressure - bar (psi)	160 (2320)	160 (2320)	205 (2925)
Max. Fluid Flow - l/min. (gpm)	10.3 (2.7)	12.67 (3,3)	17.5 (4,5)
Pump	Brass	Brass	Brass
Piston	Ceramic	Ceramic	Ceramic
Standard Tip Size	0350	0350	0500
Power			
Voltage & Frequency - Volts (Hertz)	230 (50)	400 (50)	400 (50)
Engine Output - kW	3.3	4.2	6.1
Dimensions			
Length (L x W x H) - cm	40 x 40 x 103	40 x 40 x 103	74 x 57 x 101
Weight (complete) - kg	40	40	75